



Tax Credit Certificate (Tax Year 2013)

As part of the American Recovery and Reinvestment Act, tax incentives for homeowners and businesses are available to help encourage the use of renewable energy technologies like geothermal heat pumps. Tax incentives for Energy Star qualified residential geothermal heat pumps are available until the year 2016.

The new law offers a one-time tax credit of up to 30% of the total investment for all Energy Star qualified residential geothermal heat pump installations. To qualify for the rebate, the system must meet or exceed Energy Star® requirements and be installed after January 1, 2009 (After December 01, 2009 for water-to-water units). Please complete the information below, and keep this certificate for your records. Consult your tax advisor for further information.

Geothermal Closed Loop System

3.6 COP and 17.1 EER or greater* - Water-to-Air

3.1 COP and 16.1 EER or greater* - Water-to-Water

Model Number: _____

Geothermal Open Loop System

4.1 COP and 21.1 EER or greater* - Water-to-Air

3.5 COP and 20.1 EER or greater* - Water-to-Water

Model Number: _____

Installation Information

Dealer: _____

Address: _____

Phone: _____

Installation Date: _____

Total Installed Cost: _____

*See Energy Star listings of equipment manufactured by Enertech Global, LLC.

Note: All information is based upon our understanding of the legislation. Consult your local tax professional for the latest information.

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|------------------------------------|------------|--------------|----------------------------|------------|------------|--------------------------|----------------|
| GeoComfort Products Listing | | | | | | | |
| Enertech Global, LLC | GeoComfort | GWT036B | Closed Loop Water-to-Water | 3.1 | 16.8 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GWT036B | Open Loop Water-to-Water | 3.5 | 20.5 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GWT048B | Closed Loop Water-to-Water | 3.1 | 17.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GWT048B | Open Loop Water-to-Water | 3.6 | 21.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GWT060B | Closed Loop Water-to-Water | 3.1 | 16.4 | 9/30/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GWT060B | Open Loop Water-to-Water | 3.6 | 20.2 | 9/30/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GCT024C | Closed Loop Water-to-Air | 4.4 | 23.0 | 4/23/2012 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GCT024C | Closed Loop Water-to-Water | 4.7 | 24.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT024C | Open Loop Water-to-Air | 5.2 | 29.3 | 4/23/2012 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GCT024C | Open Loop Water-to-Water | 5.4 | 30.3 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT036A | Closed Loop Water-to-Air | 4.5 | 23.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT036C | Closed Loop Water-to-Air | 4.4 | 22.4 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT036C | Closed Loop Water-to-Water | 4.7 | 23.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT036C | Open Loop Water-to-Air | 5.3 | 28.1 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT036C | Open Loop Water-to-Water | 5.4 | 28.7 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT048C | Closed Loop Water-to-Air | 4.1 | 20.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT048C | Closed Loop Water-to-Water | 4.4 | 22.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT048C | Open Loop Water-to-Air | 4.7 | 26.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT048C | Open Loop Water-to-Water | 5.1 | 28.5 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | GeoComfort | GCT060A | Closed Loop Water-to-Air | 4.0 | 20.2 | 6/3/2011 | 5/20/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|---|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | GeoComfort | GCT060A | Open Loop Water-to-Air | 4.5 | 24.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT060D | Closed Loop Water-to-Air | 3.9 | 20.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GCT060D | Open Loop Water-to-Air | 4.6 | 25.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GCT072A | Closed Loop Water-to-Air | 3.8 | 17.7 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT072A | Open Loop Water-to-Air | 4.3 | 21.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | GeoComfort | GCT072D | Closed Loop Water-to-Air | 3.8 | 19.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GCT072D | Open Loop Water-to-Air | 4.4 | 22.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GHT024A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT024A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT036A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT036A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT048A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT048A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT060A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GHT060A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | GeoComfort | GRT024A | Closed Loop Water-to-Air | 3.7 | 19.8 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT024A | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT024A (WITH A-COIL MODEL NUMBER: ACD024) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT024A (WITH AIR HANDLER MODEL NUMBER: MPD024) | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT036A | Closed Loop Water-to-Air | 4.0 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT036A | Closed Loop Water-to-Air | 4.1 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT036A (WITH A-COIL MODEL NUMBER: ACD036) | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT036A (WITH AIR HANDLER MODEL NUMBER: MPD036) | Closed Loop Water-to-Air | 4.1 | 21.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT048A | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 4/16/2012 | 5/4/2012 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|---|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | GeoComfort | GRT048A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 4.1 | 21.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT048A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 4.3 | 22.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT060A | Closed Loop Water-to-Air | 3.8 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT060A | Closed Loop Water-to-Air | 3.8 | 20.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT060A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT060A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 3.9 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT072A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.6 | 19.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GRT072A (WITH AIR HANDLER MODEL NUMBER: MPD072) | Closed Loop Water-to-Air | 3.6 | 19.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | GeoComfort | GS018 | Closed Loop Water-to-Air | 3.7 | 18.9 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GS018 | Open Loop Water-to-Air | 4.3 | 21.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GS024 | Closed Loop Water-to-Air | 3.7 | 18.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GS042 | Open Loop Water-to-Air | 4.8 | 22.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GST024A | Closed Loop Water-to-Air | 3.6 | 19.1 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST024A | Closed Loop Water-to-Air | 3.8 | 19.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST024A | Open Loop Water-to-Air | 4.2 | 23.8 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST024A | Open Loop Water-to-Air | 4.4 | 24.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST024A (with_A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.8 | 19.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST024A (with_A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.4 | 24.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST024A (with_Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.8 | 20.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST024A (with_Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.3 | 24.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A | Closed Loop Water-to-Air | 4.0 | 19.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A | Closed Loop Water-to-Air | 4.0 | 20.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A | Open Loop Water-to-Air | 4.6 | 23.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A | Open Loop Water-to-Air | 4.6 | 25.4 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A (with_A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 4.0 | 20.0 | 11/1/2011 | 10/31/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | GeoComfort | GST036A (with_A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.6 | 24.7 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A (with_Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 4.2 | 20.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST036A (with_Air Handler_model_number:MPD036) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST048A | Closed Loop Water-to-Air | 4.0 | 22.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST048A | Open Loop Water-to-Air | 4.7 | 27.3 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST048A | Open Loop Water-to-Air | 4.8 | 26.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST048A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 4.2 | 21.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST048A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST048A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.3 | 23.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST048A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.9 | 29.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST060A | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST060A | Closed Loop Water-to-Air | 3.8 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST060A | Open Loop Water-to-Air | 4.3 | 23.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST060A | Open Loop Water-to-Air | 4.3 | 23.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | GeoComfort | GST060A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.8 | 19.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST060A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.3 | 22.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST060A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.0 | 21.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST060A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.5 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A | Closed Loop Water-to-Air | 3.6 | 17.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A | Closed Loop Water-to-Air | 3.6 | 19.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A | Open Loop Water-to-Air | 4.1 | 21.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A | Open Loop Water-to-Air | 4.1 | 23.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 17.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GST072A (with_Air Handler_model_number:MPD072) | Closed Loop Water-to-Air | 3.7 | 19.4 | 11/1/2011 | 10/31/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | GeoComfort | GST072A (with_Air Handler_model_number:MPD072) | Open Loop Water-to-Air | 4.2 | 23.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | GeoComfort | GT024 | Closed Loop Water-to-Air | 3.7 | 18.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GT036 | Closed Loop Water-to-Air | 3.7 | 21.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GT036 | Open Loop Water-to-Air | 4.5 | 23.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GT048 | Closed Loop Water-to-Air | 3.8 | 19.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GT060 | Closed Loop Water-to-Air | 3.7 | 19.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GT060 | Open Loop Water-to-Air | 4.3 | 22.5 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC024(with_A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC024(with_A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.2 | 24.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC024(with_Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC024(with_Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.2 | 24.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC036(with_A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 3.6 | 18.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC036(with_A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.2 | 22.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC036(with_Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 3.8 | 19.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC048(with_A-Coil_model_number:ACD048) | Closed Loop Water-to-Air | 3.6 | 19.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC048(with_A-Coil_model_number:ACD048) | Open Loop Water-to-Air | 4.1 | 22.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC048(with_Air Handler_model_number:MPD048) | Closed Loop Water-to-Air | 3.7 | 19.5 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC048(with_Air Handler_model_number:MPD048) | Open Loop Water-to-Air | 4.1 | 22.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC060(with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 18.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC060(with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.1 | 21.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC060(with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 3.7 | 18.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GTC060(with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.1 | 21.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GWT060B | Closed Loop Water-to-Water | 3.2 | 17.0 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GWT060B | Open Loop Water-to-Water | 3.7 | 21.1 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | GeoComfort | GXT024B | Closed Loop Water-to-Air | 4.6 | 24.2 | 4/7/2011 | 5/5/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|---------------------------------------|---------------|--------------|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | GeoComfort | GXT024B | Open Loop Water-to-Air | 5.5 | 31.1 | 4/7/2011 | 5/5/2011 |
| Enertech Global, LLC | GeoComfort | GXT024C | Closed Loop Water-to-Air | 4.5 | 24.4 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT024C | Open Loop Water-to-Air | 5.4 | 30.5 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT036A | Closed Loop Water-to-Air | 4.5 | 23.3 | 7/1/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 7/1/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT036C | Closed Loop Water-to-Air | 4.4 | 22.7 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT036C | Open Loop Water-to-Air | 5.1 | 28.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT048C | Closed Loop Water-to-Air | 4.2 | 20.8 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT048C | Open Loop Water-to-Air | 4.7 | 26.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | GeoComfort | GXT060A | Closed Loop Water-to-Air | 4.1 | 20.6 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT060A | Open Loop Water-to-Air | 4.7 | 24.1 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT060B | Closed Loop Water-to-Air | 4.2 | 20.6 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | GeoComfort | GXT060B | Open Loop Water-to-Air | 4.7 | 25.1 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | GeoComfort | GXT060D | Closed Loop Water-to-Air | 4.0 | 21.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GXT060D | Open Loop Water-to-Air | 4.7 | 26.1 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GXT072A | Closed Loop Water-to-Air | 4.1 | 18.0 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | GeoComfort | GXT072B | Closed Loop Water-to-Air | 3.9 | 17.9 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | GeoComfort | GXT072B | Open Loop Water-to-Air | 4.5 | 22.2 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | GeoComfort | GXT072D | Closed Loop Water-to-Air | 3.9 | 20.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | GeoComfort | GXT072D | Open Loop Water-to-Air | 4.5 | 24.0 | 7/23/2012 | 9/4/2012 |
| Hydron Module Products Listing | | | | | | | |
| Enertech Global, LLC | Hydron Module | H018 | Closed Loop Water-to-Air | 3.7 | 18.9 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H018 | Open Loop Water-to-Air | 4.3 | 21.7 | 11/1/2007 | 1/21/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|---------------|--|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | H024 | Closed Loop Water-to-Air | 3.7 | 18.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H026 | Closed Loop Water-to-Air | 3.7 | 18.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H026C(with _A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H026C(with _A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.2 | 24.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H026C(with _Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H026C(with _Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.2 | 24.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H038 | Closed Loop Water-to-Air | 3.7 | 21.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H038 | Open Loop Water-to-Air | 4.5 | 23.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H038C(with _A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 3.6 | 18.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H038C(with _A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.2 | 22.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H038C(with _Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 3.8 | 19.1 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H042 | Open Loop Water-to-Air | 4.8 | 22.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H050 | Closed Loop Water-to-Air | 3.8 | 20.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H050C(with _A-Coil_model_number:ACD048) | Closed Loop Water-to-Air | 3.6 | 19.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H050C(with _A-Coil_model_number:ACD048) | Open Loop Water-to-Air | 4.1 | 22.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H050C(with _Air Handler_model_number:MPD048) | Closed Loop Water-to-Air | 3.7 | 19.5 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H050C(with _Air Handler_model_number:MPD048) | Open Loop Water-to-Air | 4.1 | 22.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062 | Closed Loop Water-to-Air | 3.7 | 19.0 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062 | Open Loop Water-to-Air | 4.3 | 22.5 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062C(with _A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 18.7 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062C(with _A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.1 | 21.6 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062C(with _Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 3.7 | 18.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | H062C(with _Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.1 | 21.8 | 11/1/2007 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HCT024C | Closed Loop Water-to-Air | 4.4 | 23.0 | 4/23/2012 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HCT024C | Open Loop Water-to-Air | 5.2 | 29.3 | 4/23/2012 | 1/16/2013 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|---------------|---|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | HCT036C | Closed Loop Water-to-Air | 4.4 | 22.4 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT036C | Open Loop Water-to-Air | 5.3 | 28.1 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT048C | Closed Loop Water-to-Air | 4.1 | 20.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT048C | Open Loop Water-to-Air | 4.7 | 26.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT060D | Closed Loop Water-to-Air | 3.9 | 20.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HCT060D | Open Loop Water-to-Air | 4.6 | 25.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HCT072D | Closed Loop Water-to-Air | 3.8 | 19.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HCT072D | Open Loop Water-to-Air | 4.4 | 22.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HHT024A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT024A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT036A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT036A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT048A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT048A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT060A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HHT060A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | Hydron Module | HRT024A | Closed Loop Water-to-Air | 3.7 | 19.8 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT024A | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT024A (WITH A-COIL MODEL NUMBER: ACD024) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT024A (WITH AIR HANDLER MODEL NUMBER: MPD024) | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT036A | Closed Loop Water-to-Air | 4.0 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT036A | Closed Loop Water-to-Air | 4.1 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT036A (WITH A-COIL MODEL NUMBER: ACD036) | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT036A (WITH AIR HANDLER MODEL NUMBER: MPD036) | Closed Loop Water-to-Air | 4.1 | 21.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT048A | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|---------------|---|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | HRT048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT048A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 4.1 | 21.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT048A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 4.3 | 22.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT060A | Closed Loop Water-to-Air | 3.8 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT060A | Closed Loop Water-to-Air | 3.8 | 20.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT060A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT060A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 3.9 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT072A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.6 | 19.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HRT072A (WITH AIR HANDLER MODEL NUMBER: MPD072) | Closed Loop Water-to-Air | 3.6 | 19.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | Hydron Module | HST024A | Closed Loop Water-to-Air | 3.6 | 19.1 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST024A | Closed Loop Water-to-Air | 3.8 | 19.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST024A | Open Loop Water-to-Air | 4.2 | 23.8 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST024A | Open Loop Water-to-Air | 4.4 | 24.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST036A | Closed Loop Water-to-Air | 4.0 | 19.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A | Closed Loop Water-to-Air | 4.0 | 20.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A | Open Loop Water-to-Air | 4.6 | 23.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A | Open Loop Water-to-Air | 4.6 | 25.4 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST048A | Closed Loop Water-to-Air | 4.0 | 22.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST048A | Open Loop Water-to-Air | 4.7 | 27.3 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST048A | Open Loop Water-to-Air | 4.8 | 26.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST060A | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST060A | Closed Loop Water-to-Air | 3.8 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST060A | Open Loop Water-to-Air | 4.3 | 23.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HST060A | Open Loop Water-to-Air | 4.3 | 23.7 | 11/1/2011 | 1/16/2013 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|---------------|--------------|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | HST072A | Closed Loop Water-to-Air | 3.6 | 17.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A | Closed Loop Water-to-Air | 3.6 | 19.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A | Open Loop Water-to-Air | 4.1 | 21.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A | Open Loop Water-to-Air | 4.1 | 23.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HXT024C | Closed Loop Water-to-Air | 4.5 | 24.4 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT024C | Open Loop Water-to-Air | 5.4 | 30.5 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT036A | Closed Loop Water-to-Air | 4.5 | 23.3 | 7/1/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 7/1/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT036C | Closed Loop Water-to-Air | 4.4 | 22.7 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT036C | Open Loop Water-to-Air | 5.1 | 28.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT048C | Closed Loop Water-to-Air | 4.2 | 20.8 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT048C | Open Loop Water-to-Air | 4.7 | 26.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | Hydron Module | HXT060A | Closed Loop Water-to-Air | 4.1 | 20.6 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT060A | Open Loop Water-to-Air | 4.7 | 24.1 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT060D | Closed Loop Water-to-Air | 4.0 | 21.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HXT060D | Open Loop Water-to-Air | 4.7 | 26.1 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HXT072A | Closed Loop Water-to-Air | 4.1 | 18.0 | 1/26/2010 | 1/21/2011 |
| Enertech Global, LLC | Hydron Module | HXT072D | Closed Loop Water-to-Air | 3.9 | 20.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HXT072D | Open Loop Water-to-Air | 4.5 | 24.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | Hydron Module | HCT024C | Closed Loop Water-to-Water | 4.7 | 24.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT024C | Open Loop Water-to-Water | 5.4 | 30.3 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT036A | Closed Loop Water-to-Air | 4.5 | 23.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 6/3/2011 | 5/20/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|---------------|--|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | HCT036C | Closed Loop Water-to-Water | 4.7 | 23.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT036C | Open Loop Water-to-Water | 5.4 | 28.7 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT048C | Closed Loop Water-to-Water | 4.4 | 22.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT048C | Open Loop Water-to-Water | 5.1 | 28.5 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | Hydron Module | HCT060A | Closed Loop Water-to-Air | 4.0 | 20.2 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT060A | Open Loop Water-to-Air | 4.5 | 24.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT072A | Closed Loop Water-to-Air | 3.8 | 17.7 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HCT072A | Open Loop Water-to-Air | 4.3 | 21.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | Hydron Module | HST024A (with_A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.8 | 19.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST024A (with_A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.4 | 24.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST024A (with_Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.8 | 20.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST024A (with_Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.3 | 24.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A (with_A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 4.0 | 20.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A (with_A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.6 | 24.7 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A (with_Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 4.2 | 20.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST036A (with_Air Handler_model_number:MPD036) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST048A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 4.2 | 21.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST048A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST048A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.3 | 23.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST048A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.9 | 29.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST060A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.8 | 19.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST060A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.3 | 22.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST060A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.0 | 21.0 | 11/1/2011 | 10/31/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|-------------------------------|---------------|--|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | Hydron Module | HST060A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.5 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 17.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A (with_Air Handler_model_number:MPD072) | Closed Loop Water-to-Air | 3.7 | 19.4 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HST072A (with_Air Handler_model_number:MPD072) | Open Loop Water-to-Air | 4.2 | 23.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | Hydron Module | HWT060B | Closed Loop Water-to-Water | 3.2 | 17.0 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HWT060B | Open Loop Water-to-Water | 3.7 | 21.1 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HXT024B | Closed Loop Water-to-Air | 4.6 | 24.2 | 4/7/2011 | 5/5/2011 |
| Enertech Global, LLC | Hydron Module | HXT024B | Open Loop Water-to-Air | 5.5 | 31.1 | 4/7/2011 | 5/5/2011 |
| Enertech Global, LLC | Hydron Module | HXT060B | Closed Loop Water-to-Air | 4.2 | 20.6 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | Hydron Module | HXT060B | Open Loop Water-to-Air | 4.7 | 25.1 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | Hydron Module | HXT072B | Closed Loop Water-to-Air | 3.9 | 17.9 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | Hydron Module | HXT072B | Open Loop Water-to-Air | 4.5 | 22.2 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | Hydron Module | HWT036B | Closed Loop Water-to-Water | 3.1 | 16.8 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HWT036B | Open Loop Water-to-Water | 3.5 | 20.5 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HWT048B | Closed Loop Water-to-Water | 3.1 | 17.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HWT048B | Open Loop Water-to-Water | 3.6 | 21.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | Hydron Module | HWT060B | Closed Loop Water-to-Water | 3.1 | 16.4 | 9/30/2011 | 1/16/2013 |
| Enertech Global, LLC | Hydron Module | HWT060B | Open Loop Water-to-Water | 3.6 | 20.2 | 9/30/2011 | 1/16/2013 |
| Tetco Products Listing | | | | | | | |
| Enertech Global, LLC | TETCO | TWT036B | Closed Loop Water-to-Water | 3.1 | 16.8 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TWT036B | Open Loop Water-to-Water | 3.5 | 20.5 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TWT048B | Closed Loop Water-to-Water | 3.1 | 17.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TWT048B | Open Loop Water-to-Water | 3.6 | 21.1 | 11/1/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TWT060B | Closed Loop Water-to-Water | 3.1 | 16.4 | 9/30/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TWT060B | Open Loop Water-to-Water | 3.6 | 20.2 | 9/30/2011 | 1/16/2013 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--------------|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | TCT024C | Closed Loop Water-to-Air | 4.4 | 23.0 | 4/23/2012 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TCT024C | Closed Loop Water-to-Water | 4.7 | 24.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT024C | Open Loop Water-to-Air | 5.2 | 29.3 | 4/23/2012 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TCT024C | Open Loop Water-to-Water | 5.4 | 30.3 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT036A | Closed Loop Water-to-Air | 4.5 | 23.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT036C | Closed Loop Water-to-Air | 4.4 | 22.4 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT036C | Closed Loop Water-to-Water | 4.7 | 23.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT036C | Open Loop Water-to-Air | 5.3 | 28.1 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT036C | Open Loop Water-to-Water | 5.4 | 28.7 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT048C | Closed Loop Water-to-Air | 4.1 | 20.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT048C | Closed Loop Water-to-Water | 4.4 | 22.8 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT048C | Open Loop Water-to-Air | 4.7 | 26.0 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT048C | Open Loop Water-to-Water | 5.1 | 28.5 | 4/23/2012 | 2/10/2012 |
| Enertech Global, LLC | TETCO | TCT060A | Closed Loop Water-to-Air | 4.0 | 20.2 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT060A | Open Loop Water-to-Air | 4.5 | 24.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT060D | Closed Loop Water-to-Air | 3.9 | 20.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TCT060D | Open Loop Water-to-Air | 4.6 | 25.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TCT072A | Closed Loop Water-to-Air | 3.8 | 17.7 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT072A | Open Loop Water-to-Air | 4.3 | 21.1 | 6/3/2011 | 5/20/2011 |
| Enertech Global, LLC | TETCO | TCT072D | Closed Loop Water-to-Air | 3.8 | 19.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TCT072D | Open Loop Water-to-Air | 4.4 | 22.9 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | THT024A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|---|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | THT024A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT036A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT036A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT048A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT048A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT060A | Closed Loop Water-to-Air | 3.6 | 17.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | THT060A | Open Loop Water-to-Air | 4.1 | 21.1 | 7/25/2011 | 7/28/2011 |
| Enertech Global, LLC | TETCO | TRT024A | Closed Loop Water-to-Air | 3.7 | 19.8 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT024A | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT024A (WITH A-COIL MODEL NUMBER: ACD024) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT024A (WITH AIR HANDLER MODEL NUMBER: MPD024) | Closed Loop Water-to-Air | 3.7 | 20.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT036A | Closed Loop Water-to-Air | 4.0 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT036A | Closed Loop Water-to-Air | 4.1 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT036A (WITH A-COIL MODEL NUMBER: ACD036) | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT036A (WITH AIR HANDLER MODEL NUMBER: MPD036) | Closed Loop Water-to-Air | 4.1 | 21.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT048A | Closed Loop Water-to-Air | 4.1 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT048A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 4.1 | 21.1 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT048A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 4.3 | 22.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT060A | Closed Loop Water-to-Air | 3.8 | 20.2 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT060A | Closed Loop Water-to-Air | 3.8 | 20.7 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT060A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.8 | 20.5 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT060A (WITH AIR HANDLER MODEL NUMBER: MPD060) | Closed Loop Water-to-Air | 3.9 | 21.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT072A (WITH A-COIL MODEL NUMBER: ACD060) | Closed Loop Water-to-Air | 3.6 | 19.0 | 4/16/2012 | 5/4/2012 |
| Enertech Global, LLC | TETCO | TRT072A (WITH AIR HANDLER MODEL NUMBER: MPD072) | Closed Loop Water-to-Air | 3.6 | 19.7 | 4/16/2012 | 5/4/2012 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | TST024A | Closed Loop Water-to-Air | 3.6 | 19.1 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST024A | Closed Loop Water-to-Air | 3.8 | 19.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST024A | Open Loop Water-to-Air | 4.2 | 23.8 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST024A | Open Loop Water-to-Air | 4.4 | 24.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST024A (with_A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.8 | 19.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST024A (with_A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.4 | 24.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST024A (with_Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.8 | 20.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST024A (with_Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.3 | 24.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST028(with_A-Coil_model_number:ACD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST028(with_A-Coil_model_number:ACD024) | Open Loop Water-to-Air | 4.2 | 24.1 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST028(with_Air Handler_model_number:MPD024) | Closed Loop Water-to-Air | 3.7 | 19.7 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST028(with_Air Handler_model_number:MPD024) | Open Loop Water-to-Air | 4.2 | 24.1 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST036A | Closed Loop Water-to-Air | 4.0 | 19.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A | Closed Loop Water-to-Air | 4.0 | 20.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A | Open Loop Water-to-Air | 4.6 | 23.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A | Open Loop Water-to-Air | 4.6 | 25.4 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A (with_A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 4.0 | 20.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A (with_A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.6 | 24.7 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A (with_Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 4.2 | 20.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST036A (with_Air Handler_model_number:MPD036) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST040(with_A-Coil_model_number:ACD036) | Closed Loop Water-to-Air | 3.6 | 18.6 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST040(with_A-Coil_model_number:ACD036) | Open Loop Water-to-Air | 4.2 | 22.6 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST040(with_Air Handler_model_number:MPD036) | Closed Loop Water-to-Air | 3.8 | 19.1 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST048A | Closed Loop Water-to-Air | 4.0 | 22.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST048A | Closed Loop Water-to-Air | 4.2 | 21.7 | 11/1/2011 | 1/16/2013 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | TST048A | Open Loop Water-to-Air | 4.7 | 27.3 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST048A | Open Loop Water-to-Air | 4.8 | 26.6 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST048A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 4.2 | 21.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST048A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.7 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST048A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.3 | 23.5 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST048A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.9 | 29.2 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST054(with_A-Coil_model_number:ACD048) | Closed Loop Water-to-Air | 3.6 | 19.0 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST054(with_A-Coil_model_number:ACD048) | Open Loop Water-to-Air | 4.1 | 22.8 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST054(with_Air Handler_model_number:MPD048) | Closed Loop Water-to-Air | 3.7 | 19.5 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST054(with_Air Handler_model_number:MPD048) | Open Loop Water-to-Air | 4.1 | 22.6 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST060A | Closed Loop Water-to-Air | 3.7 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST060A | Closed Loop Water-to-Air | 3.8 | 19.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST060A | Open Loop Water-to-Air | 4.3 | 23.2 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST060A | Open Loop Water-to-Air | 4.3 | 23.7 | 11/1/2011 | 1/16/2013 |
| Enertech Global, LLC | TETCO | TST060A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.8 | 19.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST060A (with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.3 | 22.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST060A (with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 4.0 | 21.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST060A (with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.5 | 25.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST066(with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 18.7 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST066(with_A-Coil_model_number:ACD060) | Open Loop Water-to-Air | 4.1 | 21.6 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST066(with_Air Handler_model_number:MPD060) | Closed Loop Water-to-Air | 3.7 | 18.8 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST066(with_Air Handler_model_number:MPD060) | Open Loop Water-to-Air | 4.1 | 21.8 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TST072A | Closed Loop Water-to-Air | 3.6 | 17.9 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST072A | Closed Loop Water-to-Air | 3.6 | 19.0 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST072A | Open Loop Water-to-Air | 4.1 | 21.1 | 11/1/2011 | 10/31/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--|----------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | TST072A | Open Loop Water-to-Air | 4.1 | 23.1 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST072A (with_A-Coil_model_number:ACD060) | Closed Loop Water-to-Air | 3.6 | 17.8 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST072A (with_Air Handler_model_number:MPD072) | Closed Loop Water-to-Air | 3.7 | 19.4 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TST072A (with_Air Handler_model_number:MPD072) | Open Loop Water-to-Air | 4.2 | 23.6 | 11/1/2011 | 10/31/2011 |
| Enertech Global, LLC | TETCO | TWT060B | Closed Loop Water-to-Water | 3.2 | 17.0 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TWT060B | Open Loop Water-to-Water | 3.7 | 21.1 | 9/30/2011 | 9/22/2011 |
| Enertech Global, LLC | TETCO | TXT024B | Closed Loop Water-to-Air | 4.6 | 24.2 | 4/7/2011 | 5/5/2011 |
| Enertech Global, LLC | TETCO | TXT024B | Open Loop Water-to-Air | 5.5 | 31.1 | 4/7/2011 | 5/5/2011 |
| Enertech Global, LLC | TETCO | TXT024C | Closed Loop Water-to-Air | 4.5 | 24.4 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT024C | Open Loop Water-to-Air | 5.4 | 30.5 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT036A | Closed Loop Water-to-Air | 4.5 | 23.3 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT036A | Open Loop Water-to-Air | 4.8 | 27.1 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT036C | Closed Loop Water-to-Air | 4.4 | 22.7 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT036C | Open Loop Water-to-Air | 5.1 | 28.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT048A | Closed Loop Water-to-Air | 4.4 | 21.5 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT048A | Open Loop Water-to-Air | 4.9 | 25.2 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT048C | Closed Loop Water-to-Air | 4.2 | 20.8 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT048C | Open Loop Water-to-Air | 4.7 | 26.1 | 11/4/2011 | 9/27/2011 |
| Enertech Global, LLC | TETCO | TXT060A | Closed Loop Water-to-Air | 4.1 | 20.6 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT060A | Open Loop Water-to-Air | 4.7 | 24.1 | 12/1/2010 | 1/21/2011 |
| Enertech Global, LLC | TETCO | TXT060B | Closed Loop Water-to-Air | 4.2 | 20.6 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | TETCO | TXT060B | Open Loop Water-to-Air | 4.7 | 25.1 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | TETCO | TXT060D | Closed Loop Water-to-Air | 4.0 | 21.4 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TXT060D | Open Loop Water-to-Air | 4.7 | 26.1 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TXT072A | Closed Loop Water-to-Air | 4.1 | 18.0 | 12/1/2010 | 1/21/2011 |

ENERGY STAR Geothermal Heat Pump Qualified Product List

List Posted on February 13, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S.

| ENERGY STAR Partner | Brand Name | Model Number | Product Type | COP Rating | EER Rating | Date Available On Market | Date Qualified |
|----------------------|------------|--------------|--------------------------|------------|------------|--------------------------|----------------|
| Enertech Global, LLC | TETCO | TXT072B | Closed Loop Water-to-Air | 3.9 | 17.9 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | TETCO | TXT072B | Open Loop Water-to-Air | 4.5 | 22.2 | 10/5/2011 | 10/7/2011 |
| Enertech Global, LLC | TETCO | TXT072D | Closed Loop Water-to-Air | 3.9 | 20.0 | 7/23/2012 | 9/4/2012 |
| Enertech Global, LLC | TETCO | TXT072D | Open Loop Water-to-Air | 4.5 | 24.0 | 7/23/2012 | 9/4/2012 |